

ACCESSORIES



Zastupstvo i distribucija: Media Audio d.o.o. • Gundulićeva 26A, 21000 Split
Tel. +21 323 550 • Fax +21 315 220
info@mediaaudio.hr www.mediaaudio.hr

* Retail (EU) prices incl. EU VAT tax (20%)

* MPC (kn) cijene uključuju 25% PDV-a

Changes since last version

| | |
|---|----------------|
| <i>NEW</i> Pure Groove Zero | Page 5 |
| <i>NEW</i> Groove Care | Page 5 |
| <i>NEW</i> Weight Watcher touch | Page 12 |
| <i>NEW</i> Innovation tangential record clamp | Page 15 |



Loving music

Contents

Product line

| | |
|---------------------------------------|---------------------|
| Record cleaning | Page 4 - 6 |
| Accessoires | Page 7 - 17 |
| Acrylic dustcovers | Page 18-19 |
| Ceramic Magnetic Bearing (CMB) | Page 20 |
| Connectors / Jacks | Page 21 |
| Cables | Page 22 - 24 |

More Clearaudio products: (Separate pricelist)

Version

| | |
|---------------------|----------------|
| Hardware | 2021-01 |
| Records | 2021-01 |
| Tonearmbases | 2021-01 |

Record cleaning

Pure Groove cleaning fluid

Please be informed that due to the mixing ratio of the cleaning fluid not all fluids are recommend for Shellac records and the international transport.

Please see below chart to find the correct cleaning fluid for your purposes.

| Record cleaning fluid | Ready to use | To use for | Allowed for export |
|----------------------------|-----------------|-------------------------------|--------------------|
| <i>Pure Groove</i> | Yes | Only Vinyl records | No ¹ |
| <i>Pure Groove essence</i> | No ² | Only Vinyl records | Yes |
| <i>Groove Care</i> | Yes | Only Vinyl records | Yes |
| <i>Pure Groove Shellac</i> | Yes | For Shellac and Vinyl records | Yes |
| <i>Pure Groove Zero</i> | Yes | For Shellac and Vinyl records | Yes |

¹Can only be shipped only as a flammable material with additional costs.

²Needs to be mixed with alcohol.

Pure Groove - Record cleaning fluid

Description:



Highly efficient record cleaning fluid for the best cleaning results.

This fluid can only be shipped within Germany. Please choose the Pure Groove Essence for all other countries.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-----------|---------|----------|----------|-------------|
| AC048/010 | 0.10l | n/a | n/a | 16 € |
| AC048/025 | 0.25l | n/a | n/a | 28 € |
| AC048/050 | 0.50l | n/a | n/a | 44 € |
| AC048/100 | 1.00l | n/a | n/a | 66 € |
| AC048/250 | 2.50l | n/a | n/a | 154 € |

Pure Groove *Essence* - Record cleaning fluid

Description:



Pure Groove Essence is easier in handling for customer because it has not to be shipped as a dangerous good. For the correct use you have just to mix the pure groove essence fluid with ethanol - the result is the famous pure groove fluid as already approved for many years. Need to be mixed with Ethanol: 92%

| Art. No. | Effective content / Mixture | VPC (kn) | MPC (kn) | Retail (EU) |
|--------------|-----------------------------|----------|----------|-------------|
| AC048/ES/035 | 350ml / 500ml | 176 kn | 220 kn | 28 € |
| AC048/ES/070 | 700ml / 1l | 272 kn | 340 kn | 44 € |
| AC048/ES/175 | 1.75l / 2.5l | 608 kn | 760 kn | 99 € |
| AC048/ES/140 | 14l / 20l | 4.152 kn | 5.190 kn | 682 € |

Record cleaning

Pure Groove *Shellac* - Record cleaning fluid



Description:

Highly efficient record cleaning fluid for the best cleaning results.
Specially for Shellac LP.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|--------------|---------|----------|----------|-------------|
| AC048/SH/010 | 0.10l | 104 kn | 130 kn | 16 € |
| AC048/SH/025 | 0.25l | 176 kn | 220 kn | 28 € |
| AC048/SH/050 | 0.50l | 272 kn | 340 kn | 44 € |
| AC048/SH/100 | 1.00l | 408 kn | 510 kn | 66 € |
| AC048/SH/250 | 2.50l | 944 kn | 1.180 kn | 154 € |

Pure Groove *Zero* - Record cleaning fluid

NEW



Description:

New highly efficient record cleaning fluid for the best cleaning results.
Specially for export. Contains no alcohol.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|---------|----------|----------|-------------|
| AC048/Z/025 | 0.25l | 176 kn | 220 kn | 28 € |
| AC048/Z/050 | 0.50l | 272 kn | 340 kn | 44 € |
| AC048/Z/100 | 1.00l | 408 kn | 510 kn | 66 € |
| AC048/Z/250 | 2.50l | 944 kn | 1.180 kn | 154 € |

Groove Care - Record cleaning fluid

NEW



Description:

Groove Care's extensively tested formula leaves your records free of any unwanted residues, whether they be dust, grease or dried-on liquids.

The formula of **Clearaudios** *Groove Care* meets all international shipping requirements, and can be used in combination with record cleaning machines from any manufacturer.

Specially for export.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|--------------|---------|----------|----------|-------------|
| AC048/GC/050 | 0.50l | 176 kn | 220 kn | 28 € |
| AC048/GC/100 | 1.00l | 272 kn | 340 kn | 44 € |
| AC048/GC/250 | 2.50l | 608 kn | 760 kn | 99 € |

Record cleaning

Microfibre stripes



Description:

Available for matrix (M), double matrix (DM), smart matrix (SM), smart matrix professional (SMP), double smart matrix (DSM), double matrix professional (DMP), double matrix professional SONIC (DMPS), Pure Groove brush (PG) and for Single vacuum arm of the smart matrix professional (Singles).

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|---------------|--------------|----------|----------|-------------|
| AC062/M | 5 pcs. / Set | 208 kn | 260 kn | 33 € |
| AC062/DM | 4 pcs. / Set | 160 kn | 200 kn | 26 € |
| AC062/SM | 2 pcs. / Set | 88 kn | 110 kn | 14 € |
| AC062/SMP | 2 pcs. / Set | 88 kn | 110 kn | 14 € |
| AC062/SMS | 2 pcs. / Set | 88 kn | 110 kn | 14 € |
| AC062/DSM | 4 pcs. / Set | 160 kn | 200 kn | 26 € |
| AC062/DMP | 4 pcs. / Set | 160 kn | 200 kn | 26 € |
| AC062/DMPS | 6 pcs. / Set | 208 kn | 260 kn | 33 € |
| AC062/PG | 4 pcs. / Set | 104 kn | 130 kn | 17 € |
| AC062/Singles | 8 pcs. / Set | 104 kn | 130 kn | 17 € |
| AC062/SH10 | 2 pcs. / Set | 88 kn | 110 kn | 14 € |
| AC062/SH12 | 2 pcs. / Set | 88 kn | 110 kn | 14 € |

Seal



Description:

Record clamp and label protection for the Clearaudio double matrix professional, double matrix professional SONIC and smart matrix professional (only with additional adapter) record cleaning machine.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC088/B | black | 872 kn | 1.090 kn | 143 € |
| AC088/S | silver | 872 kn | 1.090 kn | 143 € |

SMS Seal



Description:

Record clamp and label protection for the Clearaudio smart matrix SILENT record cleaning machine.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC157/B | black | 1.144 kn | 1.430 kn | 187 € |
| AC157/S | silver | 1.144 kn | 1.430 kn | 187 € |

Accessories

Bearing oil


Description:

Fully synthetic, ultra low friction bearing oil. Improves any turntable and motor bearing. 5ml

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC068 | | 208 kn | 260 kn | 33 € |

Clear contact


Description:

Cleans all electronic contacts, improves audio as well as video quality. 5ml

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC075 | | 208 kn | 260 kn | 33 € |

Smart stylus gauge


Description:

The easiest way to adjust the cartridge tracking force.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC089 | | 176 kn | 220 kn | 28 € |

Mini level gauge


Description:

This small Level Gauge is a great helper to adjust the cartridge and can be perfectly used for setting and checking the VTA and Azimuth.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AK001 | | 112 kn | 140 kn | 18 € |

Level gauge


Description:

High precision level gauge. Available in basic version, and versions with stainless steel and gold-plated housing.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------------|----------|----------|-------------|
| AC057 | Basic | 136 kn | 170 kn | 22 € |
| AC001/S | Stainless steel | 304 kn | 380 kn | 50 € |
| AC001/G | 24 carat gold | 408 kn | 510 kn | 66 € |

Accessories

High precision level gauge



Description:

The High precision level gauge fits over the turntable spindle to ensure precise turntable leveling and also allows its use as a record clamp. Weight: 384g

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC129 | | 2.008 kn | 2.510 kn | 330 € |

Professional turntable care kit



Description:

Contents: Pure Groove Record Brush, Carbon fiber record brush, Diamond Stylus cleaning brush, Elixir of Sound, Screwdriver, Polish paste, Pure Groove Cleaning fluid 100ml, Acryl cleaning fluid 100ml and micro fiber cloth.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-------------|----------|----------|-------------|
| AC061/P | Plastic box | 944 kn | 1.180 kn | 154 € |

Professional analogue toolkit



Description:

The Professional analogue toolkit provides everything necessary for perfect turntable, arm and cartridge setup and alignment. The rugged high quality case contains a high-precision tonearm and cartridge alignment gauge, stroboscope disc and 300Hz speed light, Weight watcher touch stylus pressure gauge, cartridge setup test LP, and many other high quality tools and accessories.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC135 | | 7.600 kn | 9.500 kn | 1.250 € |

Polishing paste



Description:

2ml of high efficient polishing paste, easily removes light scratches from acrylic surfaces.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC036 | | 136 kn | 170 kn | 22 € |

Perfect Points - Direct coupling



Description:

The Clearaudio Perfect Points are a multifunctional, flexible and highly effective direct coupling for your Hi-Fi equipment.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC138/S | Silver | 1.544 kn | 1.930 kn | 253 € |
| AC138/B | Black | 1.544 kn | 1.930 kn | 253 € |

Accessories

Flat Pads (POM / stainless steel) - Resonance damping protection

Description:

Resonance damping protection for your Hi-Fi equipment rack.
To be placed under the spikes of your high-end equipment.



| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------------------------|----------|----------|-------------|
| AC022 | POM, black, each piece | 80 kn | 100 kn | 13 € |
| AC022/3 | POM, black, 3 pcs. | 232 kn | 290 kn | 38 € |
| AC049 | Stainless steel, each piece | 128 kn | 160 kn | 20 € |
| AC49/3 | Stainless steel, 3 pcs. | 336 kn | 420 kn | 55 € |

Microfibre cloth

Description:

To polish all acryl or glass parts of your turntable.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| DI038 | | 56 kn | 70 kn | 9 € |

Locator - Centering unit

Description:

Centering unit for the Outer Limit on the turntable platter of all Clearaudio turntables.



| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-----------|---------|----------|----------|-------------|
| AC064 | Lexan | 1.344 kn | 1.680 kn | 220 € |
| AC064/POM | POM | 1.344 kn | 1.680 kn | 220 € |

Outer limit - Stabilising ring

Description:

Outer record stabilising ring, fits on all Clearaudio turntables and many others.
Includes Locator (choose between Lexan or POM). Weight: 1.5kg



| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-----------|-------------------------|----------|----------|-------------|
| AC041 | Stainless steel / Lexan | 6.624 kn | 8.280 kn | 1.089 € |
| AC041/POM | Stainless steel / POM | 6.624 kn | 8.280 kn | 1.089 € |

Accessories

Single adapter - Record centering



Description:

Stainless steel centering unit for single records.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------------|----------|----------|-------------|
| AC069 | Stainless steel | 208 kn | 260 kn | 33 € |

Felt mat



Description:

All-purpose antistatic felt mat for protection and sound improvement.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC160 | | 136 kn | 170 kn | 22 € |

Vinyl harmonicer - Turntable mat



Description:

Vinyl turntable mat. Provides the perfect support for LP records.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC082 | | 472 kn | 590 kn | 77 € |

Leather mat



Description:

This Clearaudio platter mat made from black or brown leather offers optimal coupling to the platter and damping of unwanted resonances.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|---------|----------|----------|-------------|
| AC147 | black | 808 kn | 1.010 kn | 132 € |
| AC147/Brown | brown | 808 kn | 1.010 kn | 132 € |

Clamp table mat



Description:

Comfortable leather mat for clamps and pucks to protect surfaces from scratches. With Clearaudio stamping.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|---------|----------|----------|-------------|
| AC159 | black | 208 kn | 260 kn | 33 € |
| AC159/Brown | brown | 208 kn | 260 kn | 33 € |

Stroboscope test record



Description:

Also available as a set with the speed light.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC038 | | 304 kn | 380 kn | 50 € |

Accessories

Speed light source - Speed control


Description:

300 Hz light source, quartz controlled.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC039 | | 1.096 kn | 1.370 kn | 180 € |

SET: Speed light source + Stroboscope test record

300 Hz light source, quartz controlled, with Stroboscope test record.



| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC076 | Set | 1.344 kn | 1.680 kn | 220 € |

Record Bag


Description:

The Clearaudio Record Bag is made from authentic, waterproof truck tarpaulin and can hold up to 20 LPs. The strap is an original car seatbelt and is adjustable in length. The bag's transparent front compartment is designed to hold a favourite LP and to display its cover artwork as the face of the bag – giving you as many options for the overall style of the bag as you have LPs. If the front compartment is empty, the bag's face is the classic Clearaudio logo.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC158 | | 1.008 kn | 1.260 kn | 165 € |

Vinyl Travel Bag


Description:

This stylish shoulder bag with adjustable strap and metal feet allows you to safely and comfortably carry up to ten records. The combination of canvas and high-quality natural leather guarantees strength and durability, providing excellent protection for your valued record collection.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC148 | | 3.680 kn | 4.600 kn | 605 € |

Upgrade Kit for Innovation series


Description:


Update your Innovation or Innovation Compact turntable with a new flat belt and the accompanying pulley. Delivered with custom installation tools.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC146 | | 1.672 kn | 2.090 kn | 275 € |

Accessories

Silent belts / Flat belts

Description:



AC070: Emotion SE, Innovation Series (old version)
 AC071: Champion, Solution, Reference, Performance, PerformanceSE, Statement (old version), all other turntables
 AC077: Master Reference, Maximum Solution, Ambient
 AC123: concept, concept active, Performance DC, Ovation
 AC142: Innovation Series (latest version), Statement (latest version)
 AC153: Master Innovation

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|----------------------------|----------|----------|-------------|
| AC070 | Silent belt 292mm / 2mm | 272 kn | 340 kn | 44 € |
| AC071 | Silent belt 304mm / 2mm | 272 kn | 340 kn | 44 € |
| AC077 | Silent belt 304mm / 1mm | 272 kn | 340 kn | 44 € |
| AC123 | Flat belt 160mm / 4mm | 160 kn | 200 kn | 26 € |
| AC142 | Flat belt 285mm / 5mm | 408 kn | 510 kn | 66 € |
| AC153 | Flat belt 285mm / 5mm | 472 kn | 590 kn | 77 € |

Weight Watcher touch - Cartridge stylus gauge

NEW



Description:

Accurate cartridge stylus pressure gauge.
 Battery power protection.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC163 | | 1.472 kn | 1.840 kn | 242 € |

Elixir of Sound - Stylus Cleaner



Description:

High efficient stylus cleaner. 10ml bottle.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC003 | | 176 kn | 220 kn | 28 € |

Diamond cleaner brush



Description:

Safe cleaning device for diamond stylus.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC014 | | 128 kn | 160 kn | 20 € |

Accessories

Record cleaning brush



Description:

Antistatic twin-brush carbon fiber record cleaning brush.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC004 | | 208 kn | 260 kn | 33 € |

Pure Groove brush



Description:

Microfiber record cleaning brush.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC015 | | 136 kn | 170 kn | 22 € |

Stability headshell



Description:

Extremely precise and stable dural and SME compatible headshell.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|--|----------|----------|-------------|
| AC006 | Aluminium, Silver Weight: 17.25g | 1.672 kn | 2.090 kn | 275 € |
| AC007 | Titanium, Dural Weight: 18.75g | 2.008 kn | 2.510 kn | 330 € |

Headshell cable set



Description:

High grade OFC (Oxygen-Free-Cooper), incl. gold plated non-magnetic Clearaudio cartridge pins. 50mm length.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC008 | | 472 kn | 590 kn | 77 € |

Accessories

Headshell cable set 6N pure silver



Description:

The well-known Clearaudio headshell cable set new refurbished with a new conductor material made of pure silver.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC008/S | | 1.072 kn | 1.340 kn | 176 € |

Tangential alignment gauge

Description:

The Clearaudio tangential alignment gauge is a basic tool for the setup of linear tracking tonearms.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| AC044 | Aluminium | 272 kn | 340 kn | 44 € |

IEC cartridge alignment gauge

Description:



The Clearaudio IEC cartridge alignment gauge for radial tonearms meets the highest standards of precision and durability. Designed for use with all radial tonearms of any effective length, it sets the geometry according the IEC standard.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|------------------|----------|----------|-------------|
| AC005/IEC | Aluminium silver | 1.608 kn | 2.010 kn | 264 € |
| AC005/IEC/B | Aluminium black | 1.608 kn | 2.010 kn | 264 € |

Multi installation gauge

Description:



Side A:

Aluminium high precision alignment gauge for all radial tonearms. The Clearaudio IEC cartridge alignment gauge for radial tonearms meets the highest standards of precision and durability. Designed for use with all radial tonearms of any effective length, it sets the geometry according the IEC standard (where the minimum groove radius is 60.325mm).

Side B:

Stroboscope test record incl. Speed light

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC155 | | 4.688 kn | 5.860 kn | 770 € |

Accessories

Clever clamp - record clamp


Description:

Very flat, very light, easy to use LP record clamp.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC009 | | 176 kn | 220 kn | 28 € |

concept record clamp


Description:

Simple to use aluminium record clamp. It provides the best possible contact between record and platter. Weight 215g, height 20mm, diameter 75mm.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC122 | | 672 kn | 840 kn | 110 € |

Twister record clamp


Description:

LP record clamp with resonance absorbing locking design and stainless steel grip.
Weight: 190g

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC059 | | 760 kn | 950 kn | 125 € |

Quadro clamp - record clamp


Description:

Massive LP-record clamp. Stainless steel. A flat version is also available.
Weight: 360g (AC010/S) and 242g (AC011/S).

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---|----------|----------|-------------|
| AC010/S | Stainless steel, matt finished | 1.208 kn | 1.510 kn | 198 € |
| AC011/S | Stainless steel, matt finished Flat Version | 944 kn | 1.180 kn | 154 € |

Innovation tangential record clamp

NEW

Description:

Specially developed for the use with TT3 tangential tonearm.
Available in black or silver, including clamp table mat.

| Art. Nr. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC164/B | Black | 4.016 kn | 5.020 kn | 660 € |
| AC164/S | Silver | 4.016 kn | 5.020 kn | 660 € |

Accessories

Innovation record clamp



Description:

Specially developed for the Innovation series of turntables.
Not suitable with TT3 tangential tonearm.

Available in black or silver, including clamp table mat.
Weight: 740g

| Art. Nr. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC133/B | Black | 4.016 kn | 5.020 kn | 660 € |
| AC133/S | Silver | 4.016 kn | 5.020 kn | 660 € |

Statement record clamp



Description:

The state-of-the-art record clamp. Features three-point resonance absorption technology, with bullet-proof wood or ebony style compound and stainless steel sandwich construction. Including clamp table mat.
Not suitable with TT3 tangential tonearm.

Weight: 765g bullet proof wood, 730g Ebony

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|-------------------|----------|----------|-------------|
| AC103/W | Bullet proof wood | 5.352 kn | 6.690 kn | 880 € |
| AC103/Ebony | Ebony | 5.352 kn | 6.690 kn | 880 € |

LP Drill



Description:

An easy to use tool that quickly corrects undersized spindle holes.
Fitted with an ergonomic aluminium handle.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC136 | | 272 kn | 340 kn | 44 € |

Dustprotector



Description:

The Clearaudio Dustprotector is not only an eye-catcher on your turntable, it also prevents the accumulation of dust. As a further advantage you don't have to clean the platter before using your turntable.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| AC144 | Vinyl | 208 kn | 260 kn | 33 € |

Accessories

Turboweight


Description:

Improves Rega tonearms, lowers tonearm centre of gravity. Stainless steel. A thumbscrew is fitted for comfortable editing. Weight: 120g

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------------|----------|----------|-------------|
| TA008 | Stainless steel | 944 kn | 1.180 kn | 154 € |

Shaft for Rega RB 250 tonearm


Description:

By using the Clearaudio shaft you will bring additional weight on your Rega tonearm. Weight: 35g

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------------|----------|----------|-------------|
| TA009 | Stainless steel | 272 kn | 340 kn | 44 € |

Emotion Facelift Kit


Description:

This set consists of 3 aluminium feet with silicone buffers. It will decouple your Emotion turntable, the vibration will decrease and the resonance will be optimized.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| AC095 | Aluminium | 1.344 kn | 1.680 kn | 220 € |

VTA-Lifter - VTA -Adjustment


Description:

Precise VTA-adjustment for Clearaudio radial tonearms. Allows VTA adjustments during play. Requires appropriate VTA-Lifter armboard.

Please always specify your turntable and tonearm model when placing order.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|------------------|----------|----------|-------------|
| AC093/S | Aluminium silver | 3.648 kn | 4.560 kn | 600 € |
| AC093/B | Aluminium black | 3.648 kn | 4.560 kn | 600 € |

Clearaudio tonearm bases

Description:

Our tonearm bases are listed in a separate price list. Please ask your dealer or contact directly Clearaudio.

Acrylic dustcovers

Acrylic dustcover for Clearaudio turntables



| Turntable | Art. No. | Outer Dimension (W/D/H in mm) | VPC (kn) | MPC (kn) | Retail (EU) |
|---|------------------|-------------------------------|----------|----------|-------------|
| Ovation (Champion, Champion Limited, Avantgarde) | AC024 | 500 x 450 x 195 | 2.344 kn | 2.930 kn | 385 € |
| Champion Level I / Level II / Magnum, Avantgarde Magnum | AC025 | 502 x 452 x 300 | 3.016 kn | 3.770 kn | 495 € |
| Innovation Compact, Innovatin Basic, Solution, Master Solution | AC027 | 552 x 502 x 241 | 4.016 kn | 5.020 kn | 660 € |
| Revolution, Reference | AC028 | 555 x 460 x 370 | 3.344 kn | 4.180 kn | 550 € |
| Innovation, Maximum Solution, Anniversary | AC073 | 552 x 530 x 350 | 4.416 kn | 5.520 kn | 726 € |
| Emotion SE, Emotion | AC074 | 440 x 360 x 147 | 1.272 kn | 1.590 kn | 209 € |
| Ambient | AC098 | 550 x 380 x 230 | 2.944 kn | 3.680 kn | 484 € |
| Performance DC, Performance / SE | AC104 | 468 x 375 x 174 | 1.672 kn | 2.090 kn | 275 € |
| Performance DC with mounted TT5 | AC104/TT5 | 468 x 375 x 210 | 2.008 kn | 2.510 kn | 330 € |
| Performance Magnum | AC115 | 468 x 375 x 214 | 4.416 kn | 5.520 kn | 726 € |
| concept active | AC120/ active | 450 x 380 x 147 | 1.008 kn | 1.260 kn | 165 € |
| concept | AC120 | 450 x 380 x 147 | 1.008 kn | 1.260 kn | 165 € |
| Innovation 12", Anniversary 12", Max. Solution 12" | AC139 | 660 x 530 x 350 | 4.688 kn | 5.860 kn | 770 € |
| Marantz® TT15 | AC109 | 490 x 390 x 180 | 2.680 kn | 3.350 kn | 440 € |
| McIntosh MT5 | AC140 | 424 x 389 x 103.5 | 1.672 kn | 2.090 kn | 275 € |
| McIntosh MT10 | AC134 | 440 x 428 x 145 | 4.016 kn | 5.020 kn | 660 € |

Acrylic dustcovers

Acrylic dustcover for Clearaudio record cleaning units



| Record cleaning machine | Art. No. | Outer Dimension (W/D/H in mm) | VPC (kn) | MPC (kn) | Retail (EU) |
|----------------------------------|----------|-------------------------------|----------|----------|-------------|
| double matrix professional SONIC | AC143 | 382 x 356 x 118 | 1.272 kn | 1.590 kn | 209 € |
| smart matrix professional SILENT | AC162 | 340 x 340 x 75 | 944 kn | 1.180 kn | 154 € |
| double matrix professional | AC127 | | 1.272 kn | 1.590 kn | 209 € |
| smart matrix professional | AC128 | | 872 kn | 1.090 kn | 143 € |

CMB - Ceramic Magnetic Bearing

Ceramic Magnet-Bearing (CMB)



Description:

Available for all Clearaudio turntables.

CMB price include special magnetically shielded metal box!

The prices includes the special magnetically shielded shipping box.

Full price: The CMB – bearing bought as an additional product.

| Turntable | Art. No. | VPC (kn) | MPC (kn) | Retail (EU) |
|--|-----------------|-----------------|-----------------|--------------------|
| 28mm Champion, Solution, Champion Level 1, Champion Limited, Emotion SE | CMB0001 | 4.256 kn | 5.320 kn | 700 € |
| 38mm Ambient, Avantgarde, Performance DC, Innovation Basic | CMB0002 | 4.808 kn | 6.010 kn | 790 € |
| 38mm Ovation | CMB0002/Ovation | 4.808 kn | 6.010 kn | 790 € |
| 68mm Champion Level II, Master Solution, Maximum Solution, Avantgarde Magnum, Reference, Innovation Compact | CMB0003 | 7.896 kn | 9.870 kn | 1.298 € |
| 78mm Champion Level II SME, Anniversary | CMB0004 | 9.120 kn | 11.400 kn | 1.500 € |
| 78mm Master Reference | CMB0005 | 9.608 kn | 12.010 kn | 1.580 € |
| 18mm Emotion | CMB0007 | 2.128 kn | 2.660 kn | 350 € |
| Marantz® TT15 | CMB0008 | 2.680 kn | 3.350 kn | 440 € |
| 78mm Innovation | CMB0009 | 10.432 kn | 13.040 kn | 1.715 € |

Connectors / Jacks

RCA-connector


Description:

RCA connector with multipoint contact system absolute non-magnetic, direct gold plated.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| CO001/R | Red | 272 kn | 340 kn | 44 € |
| CO001/B | Black | 272 kn | 340 kn | 44 € |

5-pole tonearm connector


Description:

Absolute non-magnetic, direct gold plated.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| CO004 | Per piece | 408 kn | 510 kn | 66 € |

BNC-connector


Description:

Absolute non-magnetic, direct gold plated, for rimping.
Impedance: 75 Ohm.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------------------------|----------|----------|-------------|
| CO005 | Crimp version / per piece | 176 kn | 220 kn | 28 € |

RCA-socket


Description:

Absolute non-magnetic, direct gold plated, outside-threading.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| CO007/R | Red | 208 kn | 260 kn | 33 € |
| CO007/B | Black | 208 kn | 260 kn | 33 € |

Cartridge pins


Description:

Multipoint spring contact, absolute non-magnetic, direct gold plated.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|----------------|----------|----------|-------------|
| CO011 | 1 Set / 4 pcs. | 240 kn | 300 kn | 39 € |

Cables

Direct Silver Wire (non-terminated)



Description:

Absolute flexibility, allows every movement of the tonearm, completely unbreakable and interference-free.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| CL014 | 1 meter | 3.224 kn | 4.030 kn | 530 € |

Direct Silver Wire (terminated with RCA connector)



Description:

Absolute flexibility, allows every movement of the tonearm, completely unbreakable and interference-free. Terminated with RCA connector.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-----------|---------|----------|-----------|-------------|
| CL014/100 | 1 meter | 8.032 kn | 10.040 kn | 1.320 € |

Sixstream Plus (non-terminated)



Description:

Parallel-symmetrical interconnect cable, phase coherent design, 2-times shielded, non-terminated.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| CL003 | Per meter | 1.344 kn | 1.680 kn | 220 € |

Sixstream Plus (terminated with RCA connector)



Description:

Parallel-symmetrical interconnect cable, phase coherent design, 2-times shielded, terminated with RCA connector.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|-----------|----------|----------|-------------|
| CL003 / 50 | 2x 50 cm | 2.680 kn | 3.350 kn | 440 € |
| CL003 / 75 | 2x 75 cm | 3.344 kn | 4.180 kn | 550 € |
| CL003 / 100 | 2x 100 cm | 4.016 kn | 5.020 kn | 660 € |
| CL003 / 125 | 2x 125 cm | 4.688 kn | 5.860 kn | 770 € |
| CL003 / 150 | 2x 150 cm | 5.352 kn | 6.690 kn | 880 € |
| | Per 50 cm | 1.344 kn | 1.680 kn | 220 € |

Direct Wire Plus (non-terminated)



Description:

Dual mono construction.
Improved performance by symmetrical structure.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| CL015 | Per meter | 672 kn | 840 kn | 110 € |

Cables

Direct Wire Plus (terminated with Clearaudio Smart MPC)



Description:

Dual mono construction.
Improved performance by symmetrical structure. Terminated with Smart MPC.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|-----------|----------|----------|-------------|
| CL015 / 50 | 2x 50 cm | 1.008 kn | 1.260 kn | 165 € |
| CL015 / 75 | 2x 75 cm | 1.344 kn | 1.680 kn | 220 € |
| CL015 / 100 | 2x 100 cm | 1.672 kn | 2.090 kn | 275 € |
| CL015 / 125 | 2x 125 cm | 1.952 kn | 2.440 kn | 320 € |
| CL015 / 150 | 2x 150 cm | 2.128 kn | 2.660 kn | 350 € |
| | Per 50 cm | 608 kn | 760 kn | 99 € |

Clearline (non-terminated)



Description:

Triangle-symmetric-shielding design, flexible, high-grade OFC (oxygen-free-copper), non-terminated.

| Art. No. | Version | MPC (kn) | Retail (EU) | VPC (kn) |
|----------|-----------|----------|-------------|----------|
| CL005 | Per meter | 552 kn | 690 kn | 90 € |

Clearline (terminated with Clearaudio Genius)



Description:

Triangle-symmetric-shielding design, flexible, highgrade OFC (oxygen-free-copper), terminated with Clearaudio Genius.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|-------------|----------|----------|----------|-------------|
| CL005 / 200 | 2x 2 m | 2.736 kn | 3.420 kn | 450 € |
| CL005 / 250 | 2x 2.5 m | 3.344 kn | 4.180 kn | 550 € |
| CL005 / 300 | 2x 3 m | 3.896 kn | 4.870 kn | 640 € |
| CL005 / 400 | 2x 4 m | 5.016 kn | 6.270 kn | 825 € |

Directphono Interconnect RCA-RCA



Description:

Absolute symmetrical construction with integrated central ground line and extremely flexible inner conductor. The left and right channel are twisted and shielded separately.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| CL013 | Per meter | 1.144 kn | 1.430 kn | 187 € |

Cables

Smart Wire



Description:

Interconnect cable, 2-times shielded, designed to transport analog as well as digital signals, terminated with Clearaudio RCA-connector.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|-----------|----------|----------|-------------|
| CL009 | 2x 100 cm | 472 kn | 590 kn | 77 € |

XLR Termination



Description:

Optional all phono and tonearm cables can be ordered with XLR connectors. This option comes with the following additional costs.

| Art. No. | Version | VPC (kn) | MPC (kn) | Retail (EU) |
|----------|---------|----------|----------|-------------|
| | | 944 kn | 1.180 kn | 154 € |



Loving music